

## ESP-62/WS - PA Wall Speaker



**PA væghøjtaler**, EN 54-24 certificeret.

- 100 V line-teknologi via audiotransformer med 3 tapsætninger
- Full range højtaler med høj lyd kvalitet og en klar stemmegengivelse
- Specialdesignet plastikkabinet (åbent bagpanel) med frontgitter i metal
- Kabinettets form giver mulighed for vandret eller lodret montering
- Monteringskruer og dækknapper til skruehoveder medfølger
- Boldspilssikker iht. DIN 18032, Part 3

## Technical data:

100 V	: 1
EN 54 certification	: 1
protected against ball rebound	: 1
Active/passive	: passive
Transmission technology	: 100 V
Total output power	: -
Power rating (RMS)	: -
Total power rating	: -
Power rating (RMS)	: 6/3/1.5 W
Impedance	: -
Frequency range	: 100-19,000 Hz
THD	: -
S/N ratio	: -
Input signal	: -
System	: -
Full range speaker	: -
Bass speaker	: -
Midrange speaker	: -
Tweeter	: -
Number of speakers	: -
Speaker size	: 130 mm
SPL	: 93 dB/W/m
Max. rated SPL	: 101 dB
Radiation angle/beam angle	: -
Radiation angle, horizontal	: -
Radiation angle, vertical	: -
Features	: -
Housing material	: plastic
Colour	: white, RAL9010
Mounting device	: -
Protected against ball rebound	: yes
Protection class	: -
Admiss. ambient temp.	: -10 °C to +50 °C
Power supply	: -
Dimensions	: 240 x 330 x 85 mm

Width	: 240 mm
Height	: 330 mm
Depth	: 85 mm
Weight	: 1.2 kg
Inputs	: -
Outputs	: -
Replacement voice coil	: -
Other features	: -
Accessories	: -
Packing dimensions (W x H x L)	: 0.245 x 0.1 x 0.345 m
Gross weight	: 1.532 kg
Net weight	: 1.242 kg