

## CALDERA-B10 - Active Studio Subwoofer



Active subwoofer for hi-fi and recording, 400 W

- Vivid and powerful active subwoofer as an addition to active speakers CALDERA-T6 but also to any other compact speaker in the field of hi-fi, home cinema and home recording
- Volume control for level adjustment
- Adjustable crossover frequency: 90-180 Hz
- High-quality bass-reflex MDF cabinet (black wood veneer finish)
- 25 cm (10") high-performance bass speaker
- Balanced inputs A and B via XLR or 6.3 mm jack
- Parallel balanced outputs A and B for top speakers with switchable high-pass filter
- Parallel output XLR or 6.3 mm jack for connecting an additional subwoofer

## Technical data:

active	: 1
Active/passive	: active
Transmission technology	: cable
Total output power	: 400 W
Power rating (RMS)	: 300 W
Total power rating	: -
Power rating (RMS)	: -
Impedance	: -
Frequency range	: 25-180 Hz
THD	: -
S/N ratio	: -
Input signal	: 300Â mV/11Â kOhm (bal.)
System	: bass-reflex
Full range speaker	: -
Bass speaker	: 25 cm (10") bass speaker
Midrange speaker	: -
Tweeter	: -
Number of speakers	: 1
Speaker size	: 25 cm (10")
SPL	: 88 dB/W/m
Max. rated SPL	: 114 dB
Radiation angle/beam angle	: -
Radiation angle, horizontal	: -
Radiation angle, vertical	: -
Features	: -
Housing material	: MDF wood
Colour	: black
Mounting device	: -
Protected against ball rebound	: -
Protection class	: -
Admiss. ambient temp.	: 0-40 °C
Power supply	: &acd; 230Â V/50Â Hz/560Â VA
Dimensions	: 350 x 375 x 430Â mm
Width	: 350 mm
Height	: 375 mm

Depth	: 430 mm
Weight	: 15 kg
Inputs	: 2 x combo XLR/6.3 mm jack, bal.
Outputs	: 2 x line OUT XLR 2 x line OUT 6.3 mm jack1 x SUB OUT XLR 1 x SUB OUT 6.3 mm jack
Replacement voice coil	: -
Other features	: -
Accessories	: -
Packing dimensions (W x H x L)	: 0.465 x 0.49 x 0.54 m
Gross weight	: 17.54 kg
Net weight	: 15.43 kg