

MPX-20USB - Stereo Mixer



3-kanals stereo DJ mixer, med USB interface. Plug and mix!

- Indbygget USB audio interface (identificeres og behandles som et eksternt lydkort)
- Full duplex USB port (tillader samtidig optagelse og afspilning) til gengivelse af digitale lyddata fra en PC og til optagelse på en PC
- 1 mikrofonindgang
- 2 stereoindgange, line/phono og USB/line/phono
- 1 stereoudgang (master)
- 1 stereo record udgang
- Pre-fader listening (CUE) til stereoindgange via justerbar hovedtelefonudgang
- Crossfader
- LED level display
- Robust og kompakt metalkabinet
- Strømforsyning via USB interface eller strømforsyning med USB port

tools4music 04/2015

"Robust design, neat workmanship and great test results. The features of this unit certainly meet the

requirements of practical applications."

delamar.de 11/2014

"The MPX-20USB from IMG Stage Line is a respectable mixer for two channels plus microphone which combines all the important features at a compact size. Great for DJs who concentrate on the essentials. Also suitable for anyone requiring a reliable second unit ... As a little bonus, there are in fact two headphone jacks. This space-saving mixer is able to crossfade two audio signals and well suited for home applications."

Technical data:

Input channels	: -
Number of mix/mono	: -
No. of stereo	: -
No. of channels	: 4
No. of inputs	: 5
Mic input	: 1 mV, 1 x 6.3 mm jack
Line input	: 450 mV, 2 x RCA L/R
CD input	: -
Phono input	: 9 mV, 2 x RCA L/R
Tape (play)	: -
Aux input	: -
Insert input	: -
Effect return	: -
Master output	: 1 V, 1 x RCA L/R
Record output	: 1 V, 1 x RCA L/R
Monitor output	: -
Booth output	: -
Aux output	: -
Insert output	: -
Effect send	: -
Control room	: -
Tape (rec)	: -
Headphones	: 8 Ohm, 1 x 3.5 mm jack, 1 x 6.3 mm jack
Gooseneck lamp	: -
WiFi	: -
USB	: yes
Bluetooth	: -
Frequency range	: 20-20,000 Hz
THD	: 0.1%
S/N ratio	: 63 dB, unweighted
Crosstalk	: -
Equalizer bass	: -
Equalizer midrange	: -
Equalizer treble	: -
equalizer	: -

Talkover	: -
Phantom power	: -
Crossfader	: yes
Media player	: -
Amplifier	: -
Power supply	: DC 5 V/500 mA via USB interface
Mains voltage	: -
Mains frequency	: -
Power consumption, operation	: -
Operating voltage (possible alternative)	: DC 5 V
Power supply (possible alternative)	: DC 500 mA
Admiss. ambient temp.	: 0-40 °C
Width	: 150 mm
Height	: 70 mm
Depth	: 140 mm
Rack units, RU	: -
Weight	: 700 g
Packing dimensions (W x H x L)	: 0.18 x 0.1 x 0.245 m
Gross weight	: 0.937 kg
Net weight	: 0.725 kg